

In de tabel hieronder worden de verschillende normen met elkaar vergeleken.

Materiaalnr.	DIN 17006	ASTM/AISI Benaming	UNS Unified numbering system
1.4016	X6Cr17	430	S43000
1.4509	X2CrTiNb18	441	S44100
1.4510	X3CrTi17	439	
1.4512	X2CrTi12 (oud X6 CrTi 12)	409	S40900
1.4526	X6CrMoNb17-1	436	S43600
1.4310	X10CrNi18-8 (oud X12 CrNi17 7)	301	S30100
1.4318	X2CrNiN18-7	301LN	
1.4305	X8CrNi18-9	303	S30300
1.4307	X2CrNi18-9	304L	
1.4306	X2CrNi19-11	304L	S30403
1.4311	X2CrNiN18-10	304LN	S30453
1.4301	X5CrNi18-10	304	S30400
1.4948	X6CrNi18-11	304H	S30409
1.4303	X4CrNi18-12 (oud X5 CrNi18 12)	305	S30500
1.4541	X6CrNiTi18-10	321	S32100
1.4878	X10CrNiTi18-10 (oud X12 CrNiTi18 9)	321H	S32109
1.4404	X2CrNiMo17-12-2	316L	S31603
1.4401	X5CrNiMo17-12-2	316	S31600
1.4406	X2CrNiMoN17-11-2	316LN	S31653
1.4432	X2CrNiMo17-12-3	316L	S31603
1.4435	X2CrNiMo18-14-3	316L	S31603
1.4436	X3CrNiMo17-13-3	316	S31600
1.4571	X6CrNiMoTi17-12-2	316Ti	S31635
1.4429	X2CrNiMoN17-13-3	316LN	S31653
1.4438	X2CrNiMo18-15-4	317L	S31703
1.4539	X1NiCrMoCu25-20-5	904L	N08904
1.4547	X1CrNiMoCuN20-18-7		S31254